SDG

STRONGER TOGETHER

CONSTRUCTION ACCESSORIES

NEVOSAFE DATASHEET

ESSENTIAL COMPONENTS FOR EVERY STAGE OF CONSTRUCTION

NEVOSAFE® SCHUTZPROFIL & NEVOSAFE®-PLUS

Application :

The NEVOSAFE® safety strip can be easy and quick installed due to the integrated handle strip. It can be applied in horizontal and vertical positions and can be reused. The NEVOSAFE® is available in high visible colors to increase visibility. NEVOSAFE®-PLUS is tested from a height to 3.0m up to 100 kg.

Installation :

The NEVOSAFE® safety strip is made of weather-resistant plastic. The NEVOSAFE®-PLUS safety strip is additionally reinforced with a steel insert. Simple and quick installation due to the integrated handle strip

Material :

NEVOSAFE®-PLUS: Polyvinylchloride (PVC), steel
NEVOSAFE®: Polyvinylchloride (PVC)
Without substances of very high concern according to the candidate list of ECHA (REACH Regulation)

Packaging :

Free of halogen-containing compounds, azo dyes, flame retardants
Protect from direct sunlight when in storage

NEVOSAFE-PLUS®
Safety test:
100kg from a height of 3m

Order information - NEVOSAFE®-PLUS :

Item-No.	Detail	For iron Ø mm	length m	Pcs/ Bundle	Pcs/ Pallet
SPS/100	with steel core	8-40	1	6	294

Order information - NEVOSAFE®:

Item-No.	Detail	For iron Ø mm	length m	Pcs / Bundle	Pcs/ Pallet
SP/100	without steel core	8-40	1	6	294

No fall protection

INFORMATION:
The information given is the best that Nevoga researched and prepared at this time.
The instruction sheets are recommendations. Correct use is the responsibility of the user.
Nevoga does not guarantee the accuracy and completeness of the information.
All rights for changes, mistakes, sentence and printing errors reserved

SDG

Get in touch

HEAD OFFICE

21 Tullygoonigan Industrial Estate
Moy Road
Armagh
BT61 8DR

Tel: *+44 (0) 28 3752 8999*

MONAGHAN OFFICE

Cornacrieve
Emyvale
Monaghan
HY18 XY 46

Tel: *+ 353 (47) 87 295*

sdgconstructiontechnology.com

Email: *sales@sdg.ie*